




Regional Sales Offices

- 1** Slough
- 2** Manchester
- 3** Glasgow
- 4** Dublin



UK & IRELAND SALES OFFICES

London, REHAU Ltd, The Building Centre, 25 Store Street, London WC1E 7BT Phone: 0207 580 6155 Fax: 0207 307 8595 **Slough**, Units 5 J & K, Langley Business Centre, Station Road, Langley, Slough SL3 8DS Phone: 01753 588500 Fax: 01753 588501 **Manchester**, Brinell Drive, Irlam, Manchester M44 5BL Phone: 0161 777 7400 Fax: 0161 777 7401 **Glasgow**, Phoenix House, Phoenix Crescent, Strathclyde Business Park, Bellshill, North Lanarkshire ML4 3NL Phone: 01698 503700 Fax: 01698 503701 **Dublin**, 9 St. Johns Court, Business Park, Swords Road, Santry, Dublin 9 Phone: 00353 (0)1 8165020 Fax: 00353 (0)1 8165021

Our verbal and written application engineering advice is based upon experience and the best of our knowledge. However it is to be regarded as non-binding information. Working conditions and use under conditions for which the product was not intended and over which we have no influence exclude any claim resulting from our information. We recommend that a suitable check is made as to whether the REHAU product is suitable for the envisaged purpose. Application, use and processing of the products is carried out beyond the scope of our control and are therefore carried out exclusively at your own responsibility. If liability should still apply, then this is restricted, in the case of all damage, to the value of the goods supplied by us and used by you. Our warranty applies to the consistent quality of our products as per our specification and in accordance with our general terms and conditions of delivery and payment. This document is protected by copyright. All rights based on this are reserved. No part of this publication may be translated, reproduced or transmitted in any form or by any similar means, electronic or mechanical, photocopying, recording or otherwise, or stored in a data retrieval system.



REHAU MULTI-FOLD DOOR

THE DOOR TO EXTEND THE INTERIOR TO THE EXTERIOR

REHAU MULTI-FOLD DOOR

UNFOLD YOUR DOOR TO A BIGGER WORLD

REHAU are pleased to introduce the REHAU Multi-Fold Door – the door to extend the interior to the exterior and bring a new perspective to everyday living and working.

The REHAU Multi-Fold Door is available in both REHAU Tritec 60mm and S706 70mm. Great appearance and advanced performance mean inevitable demand for a modern and sophisticated door system full of benefits.

The REHAU Multi-Fold Door boasts superior design and engineering to complement outstanding versatility.

- Panels can be connected in a number of configurations so that the doors can be bi-fold or multi-fold allowing greater flexibility. This is ideal for connecting any rooms in the house or the house to the garden outside, where they provide additional natural light to the room. The door concertinas smoothly and is remarkably easy to open.
- It is vital that the doors are able to endure UK weather conditions therefore REHAU Multi-Fold Doors have been subject to vigorous in-house testing.
- Suitable for both domestic and commercial applications as they create openings and partitions.
- White, Mahogany, Rosewood (S706 only) and Golden Oak finishes are available to meet individual tastes.
- REHAU Multi-Fold Doors can be an alternative to French and Patio Doors but can also be used in conjunction with them to accentuate open plan living.





REHAU MULTI-FOLD DOOR

MAXIMISE YOUR WORLD



As innovators in the design and development of superior window systems, we have created the REHAU Multi-Fold Door incorporating the outstanding REHAU Tritec 60mm or S706 70mm systems.

As with all REHAU products the specification, fabrication and installation are results of quality engineering, placing our products firmly at the forefront of the market. REHAU systems have superb aesthetics, easy fabrication and excellent performance.

Surface Finish

REHAU is renowned for its quality; it maintains a lasting gloss finish and reduced maintenance.

Easy Glazing

REHAU's proven single leg glazing ensures that on-site glazing is easy and secure when fitted.

3 Chamber Profiles

All REHAU 60mm and 70mm profiles have three chambers for improved thermal performance and efficiency.

Fully Assessed

The REHAU 60mm and 70mm systems are fully assessed by BSI and BBA.

Definition

External Door – where a door creates a weather seal from the external to the internal of a building e.g. front door.

Internal Door – where a door is used to create a partition or to close an internal space within a building, specifically where no weather seal is required.

	Maximum overall frame for a White Multi-Fold Door	Maximum overall frame for a coloured or foiled Multi-Fold Door
Width		
Opening to the outside	4m	3m
For an internal door	5m	4m
Height		
Maximum sash width	900mm	900mm